



Stock list

Perforated planks and stair treads

November 2006

This stock list details the full range of item available from our factory for immediate despatch, subject to availability at time of order.

Please contact our sales department on +45 9713 1200 for prices or for further information on bespoke items.



Gratings type O2 - Galv.

Span (L)	Width	Item no
400 x	1000	20001
500 x	500	20004
500 x	1000	20006
500 x	1500	20010
600 x	500	20014
600 x	1000	20018
600 x	1500	20022
700 x	500	20024
700 x	1000	20026
700 x	1500	20030
750 x	1500	20038
800 x	500	20042
800 x	1000	20046
800 x	1500	20050
900 x	1000	20054
900 x	1500	20058
1000 x	500	20062
1000 x	600	20066
1000 x	1000	20070
1000 x	1500	20074
1200 x	1000	20078
1200 x	1500	20082

Gratings type O2 & O3

Width/Height	Item no
Made of planks type O2 - Galv.	
50/32 mm	25000
62/32 mm	25000
75/32 mm	25000
87/32 mm	25000
100/32 mm	25000
112/32 mm	25000
125/32 mm	25000
137/32 mm	25000
150/32 mm	25000
Made of planks type O3 - Galv.	
63/35 mm	25000
81/35 mm	25000
99/35 mm	25000
117/35 mm	25000
135/35 mm	25000
153/35 mm	25000
171/35 mm	25000
189/35 mm	25000
207/35 mm	25000
225/35 mm	25000
243/35 mm	25000
261/35 mm	25000
333/35 mm	25000
Clamps O2, Excl. bolt/møtrik.	20302
Clamps O3, Excl. bolt/møtrik.	20306

Planks type O2 & O3

Length	Width/Height	Item no
Planks type O2 - Ungalv.		
6000 mm	50/32 mm	20704
6000 mm	62/32 mm	20708
6000 mm	75/32 mm	20712
6000 mm	87/32 mm	20716
6000 mm	100/32 mm	20720
6000 mm	112/32 mm	20724
6000 mm	125/32 mm	20728
6000 mm	137/32 mm	20732
6000 mm	150/32 mm	20736
6000 mm	200/32 mm	20738
3000 mm	150/45 mm	20740
3000 mm	200/45 mm	20744
3000 mm	225/45 mm	20748
3000 mm	250/45 mm	20752
3000 mm	275/45 mm	20756
3000 mm	300/45 mm	20760
Planks type O3 Ungalv.		
6000 mm	63/35 mm	20806
6000 mm	81/35 mm	20808
6000 mm	99/35 mm	20812
6000 mm	117/35 mm	20816
6000 mm	135/35 mm	20820
6000 mm	153/35 mm	20824
6000 mm	171/35 mm	20828
6000 mm	189/35 mm	20832
6000 mm	207/35 mm	20836
6000 mm	225/35 mm	20840
6000 mm	243/35 mm	20844
6000 mm	261/35 mm	20848
6000 mm	333/35 mm	20852

Gratings & Planks E2 & E3

Length	W/H/Turn-in/Thick	Item no
Gratings type E2		
	150 x 40 x 20 x 2	25000
	200 x 40 x 20 x 2	25000
	250 x 40 x 20 x 2	25000
Gratings type E3		
	150 x 40 x 20 x 3	25000
	200 x 40 x 20 x 3	25000
	250 x 40 x 20 x 3	25000
Planks type E2		
3000 mm	150 x 40 x 20 x 2	20872
3000 mm	200 x 40 x 20 x 2	20874
3000 mm	250 x 40 x 20 x 2	20876
Planks type E3		
3000 mm	150 x 40 x 20 x 2	20878
3000 mm	200 x 40 x 20 x 2	20880
3000 mm	250 x 40 x 20 x 2	20882

Planks type O2 Stainless

Length	Width/Height	Item no
Planks type O2 - AISI 304		
3000 mm	50/32 mm	21204
3000 mm	62/32 mm	21208
3000 mm	75/32 mm	21212
3000 mm	87/32 mm	21216
3000 mm	100/32 mm	21220
3000 mm	112/32 mm	21224
3000 mm	125/32 mm	21228
3000 mm	137/32 mm	21232
3000 mm	150/32 mm	21236
3000 mm	150/45 mm	21237
3000 mm	200/32 mm	21238
3000 mm	200/45 mm	21244
3000 mm	225/45 mm	21246
3000 mm	250/45 mm	21248
3000 mm	275/45 mm	21250
3000 mm	300/45 mm	21252
Planks type O2 - AISI 316		
3000 mm	50/32 mm	21304
3000 mm	62/32 mm	21308
3000 mm	75/32 mm	21312
3000 mm	87/32 mm	21316
3000 mm	100/32 mm	21320
3000 mm	112/32 mm	21324
3000 mm	125/32 mm	21328
3000 mm	137/32 mm	21332
3000 mm	150/32 mm	21336
3000 mm	200/45 mm	21344
O2 Clamps AISI 316 unpol.		22002
O3 Clamps AISI 316 unpol.		22004

Planks type S2 & S3

Length	Width x Height	Item no
Type S2		
3000 mm	150 x 32 mm	20860
3000 mm	200 x 32 mm	20862
3000 mm	250 x 32 mm	20864
Type S3		
3000 mm	150 x 35 mm	20866
3000 mm	200 x 35 mm	20868
3000 mm	250 x 35 mm	20870

Planks type G3

Length	Width x Height	Item no
3000 mm	150 x 45 mm	20884
3000 mm	200 x 45 mm	20886
3000 mm	250 x 45 mm	20888



Planks type Achil®

W		Length	Height	Item no
150	x	675	x 45	20761
150	x	775	x 45	20762
150	x	875	x 45	20763
150	x	975	x 45	20764
150	x	1075	x 45	20765
200	x	675	x 45	20766
200	x	775	x 45	20767
200	x	875	x 45	20768
200	x	975	x 45	20769
200	x	1075	x 45	20770
200	x	1200	x 57	20771
200	x	1300	x 57	20772
200	x	1500	x 57	20773
225	x	675	x 45	20774
225	x	775	x 45	20775
225	x	875	x 45	20776
225	x	975	x 45	20777
225	x	1075	x 45	20778
225	x	1200	x 57	20779
225	x	1300	x 57	20780
225	x	1500	x 57	20781
250	x	675	x 45	20782
250	x	775	x 45	20783
250	x	875	x 45	20784
250	x	975	x 45	20785
250	x	1075	x 45	20786
250	x	1200	x 57	20787
250	x	1300	x 57	20788
250	x	1500	x 57	20789
275	x	675	x 45	20790
275	x	775	x 45	20791
275	x	875	x 45	20792
275	x	975	x 45	20793
275	x	1075	x 45	20794
275	x	1200	x 57	20795
275	x	1300	x 57	20796
275	x	1500	x 57	20797
300	x	675	x 45	20798
300	x	775	x 45	20799
300	x	875	x 45	20800
300	x	975	x 45	20801
300	x	1075	x 45	20802
300	x	1200	x 57	20803
300	x	1300	x 57	20804
300	x	1500	x 57	20805

Planks type USA

Length	W/H/Turn-in/Thick	Item no
Galv.		
3048 mm	120 x 38 x 20 x 2	20890
3048 mm	180 x 38 x 20 x 2	20892
3048 mm	240 x 38 x 20 x 2	20894
3048 mm	300 x 38 x 20 x 2	20896
3048 mm	360 x 38 x 20 x 2	20897
3048 mm	420 x 38 x 20 x 2	20898
Aluminium		
3048 mm	180 x 38 x 20 x 3	20900
3048 mm	240 x 38 x 20 x 3	20901
3048 mm	300 x 38 x 20 x 3	20902
3048 mm	360 x 38 x 20 x 3	20903
3048 mm	180 x 50 x 20 x 3	20904
3048 mm	240 x 50 x 20 x 3	20905
3048 mm	300 x 50 x 20 x 3	20906
3048 mm	360 x 50 x 20 x 3	20907
3657 mm	180 x 38 x 20 x 3	20908
3657 mm	240 x 38 x 20 x 3	20909
3657 mm	300 x 38 x 20 x 3	20910
3657 mm	360 x 38 x 20 x 3	20911
3657 mm	180 x 50 x 20 x 3	20912
3657 mm	240 x 50 x 20 x 3	20913
3657 mm	300 x 50 x 20 x 3	20914
3657 mm	360 x 50 x 20 x 3	20915

Planks type K

Length	Width x Height	Item no
3000 mm	150 x 45 mm	24132
3000 mm	200 x 45 mm	24134

Flat sheet O2 & O3

Material	W x L x Thick.	Item no
Type O2		
Ungalv.	500 x 2000 x 2 mm	20199
Ungalv.	500 x 6000 x 2 mm	20200
Type O3		
Ugalv.	500 x 2000 x 2 mm	20202
Galv.	500 x 2000 x 2 mm	20204
Ungalv.	500 x 3000 x 2 mm	20205
Ungalv.	500 x 6000 x 2 mm	20206
Galv.	500 x 6000 x 2 mm	20208
AISI 304	500 x 2000 x 2 mm	20250
AISI 316	500 x 2000 x 2 mm	20252
Alu.	500 x 2000 x 2 mm	20260

UNIC Treads type G3

Width/Length./Height	Item no
150 x 800 x 45 mm	20470
200 x 600 x 45 mm	20472
200 x 700 x 45 mm	20474
200 x 800 x 45 mm	20476
200 x 900 x 45 mm	20478
200 x 1000 x 45 mm	20480
250 x 700 x 45 mm	20481
250 x 800 x 45 mm	20482
250 x 900 x 45 mm	20484
250 x 1000 x 45 mm	20486
Rubber plugs type G	20498

Alu loading ramps O3

Type	W x L. x H	Item no
Straight	260 x 1500 x 60 mm	25650
Curved	260 x 1500 x 60 mm	25651
Straight	260 x 2000 x 60 mm	25652
Curved	260 x 2000 x 60 mm	25653
Straight	260 x 2500 x 75 mm	25654
Curved	260 x 2500 x 75 mm	25655
Straight	260 x 3000 x 90 mm	25656
Straight	200 x 1500 x 35 mm	25657
Curved	200 x 1500 x 35 mm	25658
Straight	200 x 2000 x 50 mm	25659
Curved	200 x 2000 x 50 mm	25660
Straight	260 x 2000 x 60 mm	25664
Straight	260 x 2500 x 75 mm	25666

Spiral treads type K

Radius	Angle	Item no
800 mm	20 gr.	24120
800 mm	24 gr.	24126
900 mm	20 gr.	24122
900 mm	24 gr.	24128
1000 mm	20 gr.	24124
1000 mm	24 gr.	24130
1100 mm	20 gr.	24138
1100 mm	24 gr.	24136



Stair treads type O2 Achil®

Width	Length	Height	Item no
150 mm	400 x	45 mm	20607
150 mm	500 x	45 mm	20608
150 mm	600 x	45 mm	20609
150 mm	700 x	45 mm	20610
150 mm	800 x	45 mm	20611
150 mm	900 x	45 mm	20612
150 mm	1000 x	45 mm	20613
200 mm	400 x	45 mm	20620
200 mm	500 x	45 mm	20621
200 mm	600 x	45 mm	20622
200 mm	700 x	45 mm	20623
200 mm	800 x	45 mm	20624
200 mm	900 x	45 mm	20265
200 mm	1000 x	45 mm	20626
200 mm	1100 x	57 mm	20627
200 mm	1200 x	57 mm	20628
200 mm	1500 x	57 mm	20629
225 mm	400 x	45 mm	20630
225 mm	500 x	45 mm	20631
225 mm	600 x	45 mm	20632
225 mm	700 x	45 mm	20633
225 mm	800 x	45 mm	20634
225 mm	900 x	45 mm	20635
225 mm	1000 x	45 mm	20636
225 mm	1100 x	57 mm	20637
225 mm	1200 x	57 mm	20638
225 mm	1500 x	57 mm	20639
250 mm	500 x	45 mm	20640
250 mm	600 x	45 mm	20641
250 mm	700 x	45 mm	20642
250 mm	800 x	45 mm	20643
250 mm	900 x	45 mm	20644
250 mm	1000 x	45 mm	20645
250 mm	1100 x	57 mm	20646
250 mm	1200 x	57 mm	20647
250 mm	1500 x	57 mm	20648
275 mm	600 x	45 mm	20650
275 mm	700 x	45 mm	20652
275 mm	800 x	45 mm	20653
275 mm	900 x	45 mm	20654
275 mm	1000 x	45 mm	20655
275 mm	1100 x	57 mm	20656
275 mm	1200 x	57 mm	20657
275 mm	1500 x	57 mm	20658
300 mm	600 x	45 mm	20660
300 mm	700 x	45 mm	20661
300 mm	800 x	45 mm	20662
300 mm	900 x	45 mm	20663
300 mm	1000 x	45 mm	20664
300 mm	1100 x	57 mm	20665
300 mm	1200 x	57 mm	20666
300 mm	1500 x	57 mm	20667

Stair treads type O2

Width	Length	Height	Item no
AISI 304			
150	400 x	32	21002
150	500 x	32	21006
150	600 x	32	21010
150	700 x	32	21012
150	600 x	45	21013
150	700 x	45	21014
150	800 x	45	21018
150	1000 x	45	21022
200	500 x	45	21026
200	600 x	45	21030
200	700 x	45	21034
200	800 x	45	21038
200	900 x	45	21042
200	1000 x	45	21043
225	600 x	45	21044
225	700 x	45	21045
225	800 x	45	21046
225	900 x	45	21047
225	1000 x	45	21048
250	600 x	45	21050
250	700 x	45	21052
250	800 x	45	21054
250	900 x	45	21056
250	1000 x	45	21058
250	1200 x	45	21062
275	800 x	45	21064
275	900 x	45	21066
275	1000 x	45	21068
300	800 x	45	21070
300	900 x	45	21072
300	1000 x	45	21074
AISI 316			
150	500 x	32	21106
150	600 x	32	21110
200	600 x	45	21130

Combination stairways

Description	Item no
Sidepiece, 3080 mm, L, B	30004
Sidepiece, 3080 mm, u/ hul, B	30006
Sidepiece 3080 mm, R, G	30008
Sidepiece, 3080 mm, L, G	30010
Sidepiece, 3080 mm, u hul, G	30012
Sidepiece, 3920 mm, R, B	30014
Sidepiece, 3920 mm, L, B	30016
Sidepiece, 3920 mm, R	30020
Sidepiece, 3920 mm, L	30022
Sidepiece, 3920 mm, u/hul, B	30024
Foot piece, R	30030
Foot piece, L	30032
Angle connection, 45°	30034
Wall fastening	30036
Angle bearing for ladings	30038
Connection piece, R, B	30040
Connection piece, L, B	30042
Connection piece, R	30044
Connection piece, L	30046
B = Ungalvanised/Black	
G = Galvanised	
R = Right	
L = Left	

Ladder rungs

Type	Material	Width x Length	Item no
Ladder rungs u/udha	Ungalv./Black	400 x 30 x 30 mm	20502
Ladder rungs u/udha	Ungalv./Black	400 x 30 x 30 mm	20504
Ladder rungs	Ungalv./Black	2100 x 30 x 30 mm	20508
Ladder rungs m/udha	Ungalv./Black	410 x 30 x 30 mm	20510
Ladder rungs	AISI 304	2100 x 30 x 30 mm	20530
Ladder rungs	AISI 316	2100 x 30 x 30 mm	20540
Ladder rungs	Ungalv./Black	2100 x 25 x 30 mm	20550